

From: [Cadence Matijevich](#)
To: [Cadence Matijevich](#)
Subject: FW: update for the L&R committees at the upcoming regional weights and measures meetings
Date: Wednesday, September 14, 2022 11:25:35 AM
Attachments: [Block 2 V3.docx](#)

----- Forwarded message -----

From: <chuckcorrconsulting@gmail.com>
Date: Tue, Sep 13, 2022 at 7:49 AM
Subject: update for the L&R committees at the upcoming regional weights and measures meetings
To: <louissakin@aol.com>, <Mauricio.Mejia@fdacs.gov>, <mbrooks@azda.gov>
Cc: <travis.soper@wisconsin.gov>, Don Onwiler <don.onwiler@ncwm.com>

Greetings all,

I will not be able to participate in the WWMA, SWMA, or NEWMA meetings. I have two blocks on the L&R agenda for your upcoming meetings. I have a few comments on each to convey to the committee.

Block 1

The title of the MOS component has a typo. The version for the CWMA showed section 2.23. This should be 2.31 to follow the text included in the proposal. I hope we can have this corrected in the Pub 15 for the meeting in January.

**B1: MOS-23.1 Sections 2.3123. Biodiesel and biodiesel Blends
that Contain Greater Than or Equal to 21% by Volume Biodiesel, and
2.40. Diesel Fuel.**

Block 2

During discussion at the CWMA meetings there was discussion that the PTD requirements were for all of the gasoline fuels. To more accurately convey this I proposed a minor change during open hearings. This changed both MOS-23.2 and FLR-23.2. This is included in the CWMA L&R committee report. I have also attached the proposal from the CWMA report.

Please inform any commenters on either of these blocks to contact me. I will work with them to see if we can refine these items for discussion at the interim meeting in January.

If there are any questions please let me know.

Thanks and have a great day.

Chuck Corr

CC Consulting, LLC

C 563-357-4167

Email chuckcorrconsulting@gmail.com

B2: MOS-23.2 Section 2.20. Gasoline and Gasoline-Oxygenate Blends.

2.20. Gasoline and Gasoline-Oxygenate Blends.

2.20.1. Method of Retail Sale. – Type of Oxygenate must be Disclosed. – All automotive gasoline or automotive gasoline-oxygenate blends kept, offered, or exposed for sale, or sold at retail containing at least 1.5 mass percent oxygen shall be identified as “with” or “containing” (or similar wording) the predominant oxygenate in the engine fuel. For example, the label may read “contains ethanol” or “with MTBE.” The oxygenate contributing the largest mass percent oxygen to the blend shall be considered the predominant oxygenate. Where mixtures of only ethers are present, the retailer may post the predominant oxygenate followed by the phrase “or other ethers” or alternatively post the phrase “contains MTBE or other ethers.” In addition, gasoline-methanol blend fuels containing more than 0.15 mass percent oxygen from methanol shall be identified as “with” or “containing” methanol. This information shall be posted on the upper 50 % of the dispenser front panel in a position clear and conspicuous from the driver’s position in a type at least 12.7 mm (1/2 in) in height, 1.5 mm (1/16 in) stroke (width of type).

(Amended 1996)

2.20.2. Product Transfer Document (PTD) Requirements. Documentation for Dispenser Labeling Purposes. – The retailer shall be provided **information that complies with 40 CFR 1090.1110 PTD requirements for gasoline, gasoline additives, and gasoline regulated blendstocks**, at the time of delivery of the fuel, on product transfer documents such as an invoice, bill of lading, shipping paper, or other documentation.

Additional declarations may be required for specific fuels:

~~(a) Information that complies with 40 CFR 1090.1110 when the fuel contains ethanol.~~

~~(a) (b)~~ For fuels **containing multiple oxygenates or oxygenates other than ethanol that do not contain ethanol, information that complies with 40 CFR 1090.1110 and** a declaration of the predominant oxygenate or combination of oxygenates present in concentrations sufficient to yield an oxygen content of at least 1.5 mass percent in the fuel. Where mixtures of only ethers are present, the fuel supplier may identify either the predominant oxygenate in the fuel (i.e., the oxygenate contributing the largest mass percent oxygen) or alternatively, use the phrase “contains MTBE or other ethers.”

~~(b) (c)~~ **Gasoline For fuels** containing more than 0.15 mass percent oxygen from methanol **a declaration identifying the fuel shall be identified** as “with” or “containing” methanol.

(Added 1984) (Amended 1985, 1986, 1991, 1996, 2014 and 2022, **and 20XX**)

2.20.3. EPA Labeling Requirements. – Retailers and wholesale purchaser-consumers of gasoline shall comply with the EPA pump labeling requirements for gasoline containing greater than 10 volume percent (v%) up to 15 volume percent (v%) ethanol (E15) under 40 CFR 1090.1510 **E15 labeling provisions**. (For additional information, refer to Section 2.30.2. FTC Labeling Requirements.)

(Added 2018) (Amended 2022, 2022, **and 20XX**)

B2: FLR-23.2 Sections 2.1. Gasoline-Oxygenate Blends, 3.2. and Automotive Gasoline and Automotive Gasoline-Oxygenate Blends (Including Racing Gasoline).

2.1. Gasoline and Gasoline-Oxygenate Blends.

2.1.2. Gasoline-Ethanol Blends. – When gasoline is blended with denatured fuel ethanol, the denatured fuel ethanol shall meet the latest version of ASTM D4806, “Standard Specification for Denatured Fuel Ethanol for Blending with Gasolines for Use as Automotive Spark-Ignition Engine Fuel,” and the blend shall meet the latest version of ASTM D4814, “Standard Specification for Automotive Spark-Ignition Engine Fuel,” with the following permissible exceptions:

(a) The maximum vapor pressure shall not exceed the latest version of ASTM D4814, “Standard Specification for Automotive Spark-Ignition Engine Fuel,” limits by more than 1.0 psi for blends from June 1 through September 15 as allowed by EPA per 40 CFR 1090.215(b) **Gasoline RVP standards**.

(Amended 2016, 2018, 2019, 2022, **and 20XX**)

3.2. Automotive Gasoline and Automotive Gasoline-Oxygenate Blends (Including Racing Gasoline).

3.2.5. Product Transfer Document (PTD) Requirements. Documentation for Dispenser Labeling Purposes.

– For automotive gasoline, automotive gasoline-oxygenate blends or racing gasoline, the retailer shall be provided **information that complies with 40 CFR 1090.1110 PTD requirements for gasoline, gasoline additives, and gasoline regulated blendstocks**, at the time of delivery of the fuel, on product transfer documents such as an invoice, bill of lading, shipping paper, or other documentation. **Additional declarations may be required for specific fuels:**

~~(a) Information that complies with 40 CFR 1090.1110 when the fuel contains ethanol.~~
~~(Added 2014) (Amended 2022)~~

~~(a) (b)~~ For fuels **containing multiple oxygenates or oxygenates other than ethanol that do not contain ethanol**, ~~information that complies with 40 CFR 1090.1110 and~~ a declaration of the predominant oxygenate or combination of oxygenates present in concentrations sufficient to yield an oxygenate content of at least 1.0 % by volume in the fuel. Where mixtures of only ethers are present, the fuel supplier may identify either the predominant oxygenate in the fuel (i.e., the oxygenate contributing the largest mass percent oxygen) or alternatively, use the phrase “contains MTBE or other ethers.”

~~(Added 2014) (Amended 2022, and 20XX)~~

~~(b) (c) Gasoline~~ For fuels containing more than 0.3 % by volume methanol **a declaration identifying the fuel shall be identified** as “with” or “containing” methanol.

~~(Added 2014) (Amended 2018, and 20XX)~~

~~(Amended 1996, 2014, and 2018)~~

3.2.6. EPA Labeling Requirements. – Retailers and wholesale purchaser-consumers of gasoline shall comply with the EPA pump labeling requirements for gasoline containing greater than 10 volume percent (v%) up to 15 volume percent (v%) ethanol (E15) under 40 CFR 1090.1510 **E15 labeling provisions**. (For additional information, refer to Section 3.8.2. FTC Labeling Requirements.)

~~(Added 2012) (Amended 2018, 2023, and 20XX)~~

~~(Amended 2018)~~